

Attorney Docket No. 1330.103

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Christopher T. VOIGT, et al.

Application No.: 09/366,749

Confirmation No.: 3440

Filed: August 4, 1999

U.S. Patent No.: 7,590,617

Issued: September 15, 2009

ATTENTION

CERTIFICATE OF CORRECTION

BRANCH

A SYSTEM PROVIDING DESKTOP INTEGRATION OF PATENT INFORMATION AND For:

DOCUMENT MANAGEMENT

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

Sir:

Patentees respectfully request that a Certificate of Correction be issued in the subject patent, pursuant to 35 USC § 254 and 37 CFR § 1.322/1.323, to correct the errors shown on the attached Form PTO-1050. A check in the amount of \$100 to cover the cost of the Certificate is attached.

The errors shown on the attached Form PTO-1050 are within the responsibility of the applicant; each thereof is of a clerical or typographical nature or of minor character and occurred in good faith, and the correction thereof is consistent with the prosecution record.

Respectfully submitted,

STAAS & HALSEY LLP

Date: Octobes 28, 2009

1201 New York Ave, N.W., 7th Floor

Washington, D.C. 20005 Telephone: (202) 434-1500 Facsimile: (202) 434-1501

Paul I. Kravetz

Registration No. 48,702

10/29/2009 MAHMED1 00000092 7590617

01 FC:1811

100.00 OP

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO: 7,590,617

DATED: September 15, 2009

INVENTOR(S): Christopher T. VOIGT, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

First Page, Column 2 (Abstract), Line 1, change "desk top" to --desktop--.

Column 7, Line 31, after "BackgroundColor" insert --,--.

Column 10, Line 49, after "methods)" insert --.--.

MAILING ADDRESS OF SENDER: STAAS & HALSEY LLP 1201 New York Avenue, N.W. 7th Floor Washington, DC 20005 PATENT NO. <u>7,590,617</u>

No. of add'l copies @ 304 per page